


PLAN VIEW



ELEVATION VIEW 'A'



IF ACCESS DOOR IS IN CEILING OF THE ELEVATOR SHAFT, THEN CONTROLLER, VVVF DRIVE, UPS, ELEC. BOXES, GFI, PHONE LINE & LIGHT FIXTURE & SWITCH TO BE LOCATED IN ATTIC.

FOR ATTIC EQUIPMENT ACCESS, A CATWALK IS REQUIRED IN ATTIC FROM THE ATTIC ACCESS DOOR TO TO THE CONTROLLER LOCATION.

LUXURY LIFT LLT TRACTION

THE INFORMATION CONTAINED HEREIN IS SOLELY OWNED BY RESIDENTIAL ELEVATORS, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION FROM RESIDENTIAL ELEVATORS, INC. IS STRICTLY PROHIBITED.

DRAWN:	CHECKED:	DATE:	REVISION
G.P.		6/04/10	ADD LLT DESIGNATION
G.P.		10/13/09	CHANGE TO STD.
G.P.	F.P.	03/22/10	CHANGE DOGHOUSE WIDTH TO 36"

PART NAME:

**ATTIC ACCESS DOOR
DOGHOUSE APPLICATION**

DRAWING NUMBER

HOR AD 02 D2